

Acknowledgment Receipt

SUBMISSION TYPE: BIO Sequence Filing

APPLICATION NUMBER: 10031193

FIRST NAMED INVENTOR: Brian Hicke

TITLE OF INVENTION: TENASCIN-C NUCLEIC ACID LIGANDS

ATTORNEY DOCKET NUMBER: NEX86/PCT-US

FILE LISTING:

transmittal	tranNEX86PCTUS.xml 6148 Bytes
sequence-listing	NEX86PCT.txt 26712 Bytes
biotechnology-listing-filing	NEX86PCTUSbio.xml 953 Bytes
biotechnology-listing-filing	u-bio.dtd 3619 Bytes
biotechnology-listing-filing	e-bioseq.xml 6067 Bytes

EFS ID: 23081

FILE SIZE: 17086 Bytes

TIMESTAMP: Tue Feb 11 16:56:56 EST 2003

MESSAGE DIGEST: tSFok89QBxgVlhKFFIngGA==

DIGITAL CERTIFICATE HOLDER NAME: cn=Rosemary Kellogg, ou=Registered Attorneys

UPLOAD STATUS: You have successfully uploaded your submission to USPTO

SEQUENCE LISTING

<110> Gilead Sciences, Inc.

<120> Tenascin-C Nucleic Acid Ligands

<130> NEX 86/PCT

<140> 10/031,193

<141> 2002-01-15

<150> 09/364,902

<151> 1999-07-29

<160> 65

<170> PatentIn Ver. 2.0

<210> 1

<211> 71

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(56)

<223> N at positions 17-56 is A, C, T, or G

<400> 1

tcgcgcgagt cgtctgannnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnnnnnn nnnnnnccgc 60
atcgtectcc c 71

<210> 2

<211> 32

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<400> 2

taatacgact cactataggg aggacgatgc gg 32

<210> 3

<211> 16

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<400> 3

tcgcgcgagt cgtctg 16

<210> 4
<211> 71
<212> RNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 4

gggaggacga ugcggcaauc aaaacucacg uuauucccuc aucuauuagc uccccagac 60
gacucgcccg a 71

<210> 5

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 5

gggaggacga ugcggcaauc uccgaaaaag acucuuccug cauccucuca cccccagac 60
gacucgcccg a 71

<210> 6

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 6

gggaggacga ugcggcaacc ucgaaagacu uuucccgcau cacuguguac uccccagac 60
gacucgcccg a 71

<210> 7

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 7

gggaggacga ugcggcaacc ucgauagacu uuucccgcau cacuguguac uccccagac 60
gacucgccc a 71

<210> 8

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 8

gggaggacga ugcggcaacc ucaaucuuga cauuucccg accuaaaauu gccccagac 60
gacucgccc a 71

<210> 9

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 9

gggaggacga ugcggcaaac gaucacuuac cuuuccugca ucugcuagcc uccccagac 60
gacucgccc a 71

<210> 10

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

```

<400> 10
gggaggacga ugcggaagcc agccauugac ccucgcuucc acuaauccau cccccagac 60
gacucgcccg a 71

<210> 11
<211> 70
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(70)
<223> All pyrimidines are 2'F.

<400> 11
gggaggacga ugcgccaac cucauuuga cacuucgccg caccuaauug cccccagacg 60
acucgcccga 70

<210> 12
<211> 15
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(15)
<223> All pyrimidines are 2'F.

<220>
<221> modified_base
<222> (1)..(15)
<223> N at positions 4 and 10 is A, G, 2'-F-U or 2'-F-C

<400> 12
gacnyuuccn gcayc 15

<210> 13
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 13

```

gggaggacga ugcggaaccc auaacgcgaa ccgaccaaca ugccucccg gccccagac 60
gacucgccc a 71

<210> 14
<211> 70
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(70)
<223> All pyrimidines are 2'F.

<400> 14
gggaggacga ugcggugccc auagaagcgu gccgcuaaug cuaacgccc cccccagacg 60
acucgcccga 70

<210> 15
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 15
gggaggacga ugcggugccc acuaugcgu ccgaaaaaca uuccccccuc uaccccagac 60
gacucgccc a 71

<210> 16
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 16
gggaggacga ugcggaacac uuucccaugc gucgccauac cggauauuu gcucccagac 60
gacucgccc a 71

<210> 17
<211> 71
<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 17

gggaggacga ugcggacugg accaaaccgu cgccgauacc cggauacuuu gcucccagac 60
gacucgcccg a 71

<210> 18

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 18

gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccugcagac 60
gacucgcccg a 71

<210> 19

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 19

gggaggacga ugcgguaaag ucucgguuga augcccaucc cagauccecc ugacccagac 60
gacucgcccg a 71

<210> 20

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 20
gggaggacga ugcggauggc aagucgaacc aucccccacg cuucuccugu ucccccagac 60
gacucgcccg a 71

<210> 21
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 21
gggaggacga ugcgggaagu uuucucugcc uugguuucga uuggcgccuc cccccagac 60
gacucgcccg a 71

<210> 22
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 22
gggaggacga ugcggucgag cggucgaccg ucaacaagaa uaaagcgugu ccugcagac 60
gacucgcccg a 71

<210> 23
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 23
gggaggacga ugcggauggc aagucgaacc aucccccacg cuucuccugu ucccccagac 60

gacucgccccg a

71

<210> 24

<211> 76

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(76)

<223> All pyrimidines are 2'F.

<400> 24

gggaggacga ugcgagacuag accgcgaguc cauucaacuu gccccaaaaa aaaccucccc 60
cagacgacuc gcccg 76

<210> 25

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 25

gggaggacga ugcgggagau caacauuccu cuaguuggu uccaaccuac acccccagac 60
gacucgccccg a 71

<210> 26

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 26

gggaggacga ugcggacgag cgucucauga ucacacuauu ucgucucagu gugcacagac 60
gacucgccccg a 71

<210> 27

<211> 71

<212> RNA

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 27
gggaggacga ugcggucgac cucgaaugac ucuccaccua ucuaacaucc ccccccagac 60
gacucgcccg a 71

<210> 28
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 28
gggaggacga ugcggucgac cucgaaugac ucuccaccua ucuaacagcc uccccagac 60
gacucgcccg a 71

<210> 29
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 29
gggaggacga ugcggagaac ucauccuaac cgcucuaaca aaucuugucc gaccgcagac 60
gacucgcccg a 71

<210> 30
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 30

gggaggacga ugcggauaau ucgacaccaa ccaggucccg gaaaucaucc cucugcagac 60
gacucgccc a 71

<210> 31

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 31

gggaggacga ugcggaaacc aaccguugac caccuuuucg uuuccggaaa guccccagac 60
gacucgccc a 71

<210> 32

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 32

gggaggacga ugcggaagcc aaccucucag ucagccuuuc guuucccacg ccaccagac 60
gacucgccc a 71

<210> 33

<211> 72

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(72)

<223> All pyrimidines are 2'F.

<400> 33

gggaggacga ugcgggacca acuaaacugu ucgaaagcug gaacaugucc ugacgccaga 60
cgacucgcc ga 72

<210> 34
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 34
gggaggacga ugcggaacaa cuaaacuguu cgaaagcugg aacacguccu gacgccagac 60
gacucgccccg a 71

<210> 35
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 35
gggaggacga ugcggaacaa cuaaacuguu cgaaagcuag aacacgucca gacgccagac 60
gacucgccccg a 71

<210> 36
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 36
gggaggacga ugcggaacaa cuaaacuguu cgaaagcugg aacacguucu gacgccagac 60
gacucgccccg a 71

<210> 37
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 37
gggaggacga ugcggaccaa cuaaacuguu cgaaagcugg aauacguccu gacgccagac 60
gacucgccccg a 71

<210> 38
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 38
gggaggacga ugcggaaguu uagugcucca guuccgacac uccucuacuc agccccagac 60
gacucgccccg a 71

<210> 39
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)
<223> All pyrimidines are 2'F.

<400> 39
gggaggacga ugcggagcca gagccucucu caguucuaca gaacuuaccc acuggcagac 60
gacucgccccg a 71

<210> 40
<211> 71
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 40

gggaggacga ugcggaccua acucaaucag gaaccaaacc uagcacucuc auggccagac 60
gacucgccccg a 71

<210> 41

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 41

gggaggacga ugcgggagau caacauuccu cuaguuggu uccaaccuac acccccagac 60
gacucgccccg a 71

<210> 42

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 42

gggaggacga ugcggaucuc gaucuuucag cacuucauuu cauuccuuuc ugccccagac 60
gacucgccccg a 71

<210> 43

<211> 71

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 43

gggaggacga ugcggacgau ccuuuccuua acauuucauc auuucucuug ugccccagac 60
gacucgccccg a 71

<210> 44
<211> 71
<212> RNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(71)

<223> All pyrimidines are 2'F.

<400> 44

gggaggacga ugcggugacg acaacucgac ugcauauuc acaacuccug ugccccagac 60
gacucgccc a 71

<210> 45

<211> 72

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(72)

<223> All pyrimidines are 2'F.

<400> 45

gggaggacga ugcggacuag accgcgaguc caucaacu gcccacaaac cuccccaga 60
cgacucgccc ga 72

<210> 46

<211> 70

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(70)

<223> All pyrimidines are 2'F.

<400> 46

gggaggacga ugcgggcgca ucgagcaaca uccgauucgg auuccuccac uccccagac 60
gacugcccga 70

<210> 47

<211> 50

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(50)

<223> All pyrimidines are 2'F; linkage at positions 50
and 51 is 3'-3'.

<400> 47

gggaggacga ugcggaacaa ugcacucguc gccgaaugg auguuugcu 50

<210> 48

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; linkage at positions 55
and 56 is 3'-3'.

<400> 48

gggaggacga ugcggaacaa ugcacucguc gccgaaugg auguuugcu cccug 55

<210> 49

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; g's at positions 1-3, 5
and 55 are 2'OMe; a at position 4 is 2'OMe;
linkage at positions 55 and 56 is 3'-3'.

<400> 49

gggaggacga ugcggaacaa ugcacucguc gccgaaugg auguuugcu cccug 55

<210> 50

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; g's at positions 6, 9, 12 and 14 are 2'OMe; a's at positions 7 and 10 are 2'OMe; linkage at positions is 3'-3'.

<400> 50

gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu ccug 55

<210> 51

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; g's at positions 15 and 22 are 2'OMe; a's at positions 16-17, 19-20 and 24 are 2'OMe; linkage at positions 55 and 56 is 3'-3'.

<400> 51

gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu ccug 55

<210> 52

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; g's at positions 38, 41 and 44 are 2'OMe; linkage at positions 55 and 56 is 3'-3'.

<400> 52

gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu ccug 55

<210> 53

<211> 55

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>

<221> modified_base

<222> (1)..(55)

<223> All pyrimidines are 2'F; g's at positions 39-40, 43 and 48 are 2'OMe; a's at positions 36-37 and 41

are 2'OMe; linkage at positions 55 and 56 is
3'-3'.

<400> 53
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 54
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at positions 1-3,
5-6, 9, 12, 14-15, 22, 28, 31, 34, 39-40, 43, 48
and 55 are 2'OMe.

<220>
<221> modified_base
<222> (1)..(55)
<223> A's at positions 7, 10, 16-17, 19-20, 24, 36-37,
and 41 are 2'OMe; linkage at positions 55 and 56
is 3'-3'.

<400> 54
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 55
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at positions 1-3,
5-6, 9, 12, 14-15, 22, 39-40, 43, 48 and 55 are
2'OMe; a's at positions 4, 7, 10, 16-17, 19-20,
24-36-37, 40 are 2'OMe.

<220>
<221> modified_base
<222> (1)..(55)
<223> Linkage at positions 55 and 56 is 3'-3'.

<400> 55
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 56
<211> 55

<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at positions 1-3,
5-6, 15, 22, 39-40, 43, 48 and 55 are 2'OMe; a's
at positions 4, 16-17, 19-20, 24 36-37 and 40 are
2'OMe; linkage at positions 55 and 56 is 3'-3'.

<400> 56
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 57
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 15, 22,
39-40, 43, 48, 55 are 2'OMe; a's at 4, 7, 16-17,
19-20, 24, 36-37, 40 are 2'OMe; linkage at 55, 56
is 3'-3'.

<400> 57
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 58
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 9, 15, 22,
39-40, 43, 48, 55 are 2'OMe; a's at 4, 16-17,
19-20, 24, 36-37, 41 are 2'OMe; linkage at 55, 56
is 3'-3'.

<400> 58
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 59
<211> 55

<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 15, 22,
39-40, 43, 48 and 55 are 2'OMe; a's at 4, 10,
16-17, 19-20, 24, 36-37, and 41 are 2'OMe;
linkage at 55 and 56 is 3'-3'.

<400> 59
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 60
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 12, 14-15,
22, 39-40, 43, 48 and 55 are 2'OMe; a's at 4,
16-17, 19-20, 24, 36-37 and 41 are 2'OMe; linkage
at 55 and 56 is 3'-3'.

<400> 60
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 61
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 6, 15, 22,
28, 39-40, 43, 48, and 55 are 2'OMe; a's at 4,
16-17, 19-20, 24, 36-37 and 40 are 2'OMe; linkage
at 55 and 56 is 3'-3'.

<400> 61
gggaggacga ugcggaacaa ugcacucguc gccguaaugg auguuuugcu cccug 55

<210> 62
<211> 55

<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 15, 22,
39-40, 43, 48 and 55 are 2'OMe; a's at 4, 16-17,
19-20, 27, 36-37 and 40 are 2'OMe; linkage at 55
and 56 is 3'-3'.

<400> 62
gggaggacga ugcggaacaa ugcacucguc gccgaaugg auguuuugcu ccug 55

<210> 63
<211> 55
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(55)
<223> All pyrimidines are 2'F; g's at 1-3, 5, 15, 22,
39-40, 43, 48 and 55 are 2'OMe; a's at 4, 16-17,
19-20, 24, 36-37, and 40 are 2'OMe; linkage at 55
and 56 is 3'-3'.

<400> 63
gggaggacga ugcggaacaa ugcacucguc gccgaaugg auguuuugcu ccug 55

<210> 64
<211> 39
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(39)
<223> All pyrimidines are 2'F; g's at positions 2-3,
5-6, 23-24, 27, 32, and 39 are 2'OMe; a's at
positions 4, 7, 20-21, and 25 are 2'OMe;.

<220>
<221> modified_base
<222> (1)..(39)
<223> Linkage at positions 39 and 40 is 3'-3'.

<220>

<221> modified_base
<222> (1)..(39)
<223> N at position 10 is (CH2CH2O)6

<400> 64
gggaggacgn cgucgccgua auggauguuu ugcucccug

39

<210> 65
<211> 34
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Nucleic Acid Ligand

<220>
<221> modified_base
<222> (1)..(34)
<223> All pyrimidines are 2'F; g's at positions 2-3,
5-6, 23-24, 27 and 32 are 2'OMe; a's at positions
4, 7, 20-21, and 25 are 2'OMe

<220>
<221> modified_base
<222> (1)..(34)
<223> N at position 10 is (CH2CH2)6

<220>
<221> modified_base
<222> (1)..(34)
<223> linkage at positions 34 and 35 is 3' - 3'

<400> 65
gggaggacgn cgucgccgua auggauguuu ugcu

34